



东莞市嘉诚包装材料有限公司

DONGGUAN JIACHENG PACKAGING MATERIAL CO.,LTD

易拉盖EOE										
型号Size	勾边高度 (mm) Curl Height	配罐直径 (mm) Can Dia.	外径(mm) Outer Dia.	埋头深度(mm) Countersink Depth	总高度(mm) Total Height	铆钉直径 (mm) Rivet Dia.	注胶量(mg) Compound Weight	起破力(kg) Pop	全开力(kg) Tear	耐压 (MPA) Pressure
202#易拉盖	2.0±0.1	52.3±0.1	62.1±0.1	3.0±0.15	4.6±0.1	5.2-5.3	50±10	1.3-1.6	2.0-2.5	≥0.045
206#	2.0±0.1	56.6±0.1	66.4±0.1	3.0±0.15	4.6±0.1	5.2-5.3	55±10	1.3-1.6	2.0-2.5	≥0.045
209#	2.0±0.1	62.5±0.1	72.0±0.1		5.0±0.1	5.2-5.3	58±10	1.3-1.6	2.0-3.0	≥0.045
211#	2.0±0.1	65.4±0.1	74.4±0.1	3.0±0.15	4.6±0.1	5.2-5.3	60±10	1.3-1.6	2.0-3.0	≥0.045
300#	2.0±0.1	72.9±0.1	82.6±0.1	3.0±0.15	4.6±0.1	5.2-5.3	70±10	1.6-2.0	2.0-3.0	≥0.045
307#	2.0±0.1	83.3±0.1	92.7±0.1	3.0±0.15	4.6±0.1	5.2-5.3	90±10	1.4-1.7	2.0-3.0	≥0.045
401#	2.0±0.1	98.9±0.1	108.7±0.1	3.0±0.15	4.6±0.1	5.2-5.3	100±10	1.4-1.7	2.0-4.0	≥0.045
502#	2.1±0.1	126.5±0.1	136.7±0.1	3.0±0.15	4.6±0.1	5.2-5.3	125±10	1.7-2.3	2.0-4.0	≥0.045

易撕盖POE								
型号Size	勾边高度 (mm) Curl Height	配罐直径 (mm) Can Dia.	外径(mm) Outer Dia.	埋头深度(mm) Countersink Depth	总高度(mm) Total Height	注胶量(mg) Compound Weight	0.06mm铝 箔 耐压 (MPA)	0.09mm铝箔 耐压 (MPA) Pressure
206#	2.0±0.1	56.6±0.1	66.4±0.1	3.0±0.15	3.3±0.1	55±10	≥0.07	
209#	2.0±0.1	62.5±0.1	72.0±0.1	3.0±0.15	3.3±0.1	58±10	≥0.07	
211#	2.0±0.1	65.4±0.1	74.4±0.1	3.0±0.15	3.3±0.1	60±10	≥0.07	≥0.08
300#	2.0±0.1	72.9±0.1	82.6±0.1	3.0±0.15	3.3±0.1	70±10	≥0.07	≥0.08
307#	2.0±0.1	83.3±0.1	92.7±0.1	3.4±0.15	3.6±0.1	90±10	≥0.07	≥0.08
401#	2.0±0.1	98.9±0.1	108.7±0.1	3.0±0.15	3.3±0.1	100±10	≥0.07	≥0.08